

Public Support - Support Request #19272

adtf_config_tool questions and problems

2023-01-25 13:28 - hidden

Status:	Closed	
Priority:	Normal	
Category:		
Customer:	CARIAD	Product Issue Numbers: https://www.cip.audi.de/jira/browse/ACORE-11853 , https://www.cip.audi.de/jira/browse/ACORE-11869
Department:	T3-BL	Affected Products: ADTF 3.15.1
Requester's Priority:	Normal	Platform: Windows 11 64bit
Support Level:	3rd Level	Topic: ADTF::ConfigTool
Resolution:	Product Issue Opened	FAQ Links:
Description		
Support Request		
we had a look at the adtf_config_tool and did some tests. Please find attached an ADTF hello-world project. In the project, under adtfsessions/, there is a file called connect.bat that describes three problems: 1) A filter's output cannot be connected to two different pins at once 2) No batch processing of multiple commands possible: Whenever we need to create a number of connections, a new process for every connection is needed which leads is a very long processing time. 3) Subgraphs sometimes don't connect properly. Have a looke at the connect.bat for some more detailed comments. Is our approach correct? And can we request the feature to process multiple commands at once? (e.g. via input file?)		
Solution		
Investigating the problem an find a known problem and a new one. Created		
Product Ticket Numbers: https://www.cip.audi.de/jira/browse/ACORE-11853 , https://www.cip.audi.de/jira/browse/ACORE-11869		

History

#1 - 2023-01-26 15:38 - hidden

- Status changed from New to Customer Feedback Required
- Topic set to ADTF::ConfigTool
- Platform Windows 11 64bit added

Hi Robin,

thanks for your feedback!

- 1) A filter's output cannot be connected to two different pins at once

Please have a look at the manual approach in the UI, this not valid.
What you have to do is connect the sample stream to the second display.
An ADTF pin (no matter if in or out) can only have one connection. To connect to several instances, it must be done from the sample stream.

So your approach is correct, but you can shorten the calls.
The first connection can be pin to pin and the sample stream will be added automatically (as within Configuration Editor).
With the knowing, that the automatic sample stream will be named filter.pin you can use for the second connect:

```
adtf_config_tool.exe --session default_session.adtfsession -e connect sub_graph/graphs/live/filters/sender sub_graph/graphs/live/filters/MyQtDisplay1 --output-pin out --input-pin out
adtf_config_tool.exe --session default_session.adtfsession -e connect sub_graph/graphs/live/sample_streams/sender.out sub_graph/graphs/live/filters/MyQtDisplay2 --output-pin out --input-pin out
```

Not tried, but should work.

2) No batch processing of multiple commands possible: Whenever we need to create a number of connections, a new process for every connection is needed which leads to a very long processing time.

Yes, this is currently a limitation in the tool behavior.
And something in our mind to change in future releases for more convenience.
But a first speed up will come in ADTf 3.16, batch processing is still unscheduled.

3) Subgraphs sometimes don't connect properly.

@Sebastian: What can be this issue ?

@Robin: Is the session also loaded **parallel** in Configuration Editor ?

Platform: Windows 11 64bit (not in the dropdown)

added

#2 - 2023-01-26 16:28 - hidden

- Resolution set to Known Feature Request

- Product Issue Numbers set to <https://www.cip.audi.de/jira/browse/ACORE-11853>

#4 - 2023-01-27 09:38 - hidden

Hi,

thanks for the fast response!

1) Alright, understood. So the assumption that the automatically created sample stream will be named filter.pin didn't seem save for us, although it should not be feasible to two sample streams from one pin of one filter ins the graph. But thanks for that hint!

2) Perfect, looking forward to it!

3) Yes, the Configuration Editor was used to observe the results of the commands and might have been open in parallel from time to time. That might have been the reason. But let me mention, that the feedback from the adtf_config_tool is insufficient here and there (e.g. when there's typo and nothing happens).

BR

Robin

#5 - 2023-01-27 11:23 - hidden

Hi Robin,

1) Alright, understood. So the assumption that the automatically created sample stream will be named filter.pin didn't seem save for us

OK, but that is the automatism, it will have the name if you do a pin-2-pin connection, in CE as in CLI.

This is important for the Sample Stream Trace View for example, then you get easily the relation to the source name and pin.

Of course you can still add sample streams manually and give them unique names.

[...], although it should not be feasible to two sample streams from one pin of one filter ins the graph. But thanks for that hint!

Again, it is not valid that a pin can have more connection, no matter which direction.

So having a pin to 2 sample streams is not valid (except one connection is deactivated, but that makes no sense in your setup).

3) Yes, the Configuration Editor was used to observe the results of the commands and might have been open in parallel from time to time.

That is what comes to my mind because then you have two clients who wants write access.

But let me mention, that the feedback from the adtf_config_tool is insufficient here and there (e.g. when there's typo and nothing happens).

Can you give a concrete example / call where you miss feedback ?

Because this should work of course, maybe there is some uncaught exception...

For example if I try connect unexisting filters:

```
adtf_config_tool.exe --session demo_data_and_time_triggered_filter.adtfsession --execute connect bla bli
Result code '-20' (ERR_NOT_FOUND) - no item with name 'bla' found [adtf_config_tool.cpp:105 (find_model)]
```

Regards,
Florian

#6 - 2023-01-30 12:54 - hidden

Hi Florian,

an example for missing feedback using the hello_world example attached:

```
adtf_config_tool.exe --session default_session.adtfsession -e
  addcomponent sub_graph/graphs/live samplestream default_sample_stream.streaming.adtf.cid ss
adtf_config_tool.exe --session default_session.adtfsession -e
  connect sub_graph/graphs/live/filters/sender sub_graph/graphs/live/sample_streams/ss --output-pin bli
--input-pin bla
```

The output and input pins *bli* and *bla* do not exist, but there is no feedback from this command.

BR,
Robin

#7 - 2023-01-30 13:13 - hidden

- Support Level changed from 2nd Level to 3rd Level

Hi Robin,

thanks, in this case, there is no error message.

@Sebastian: Can you please have a look at this ?

#8 - 2023-01-30 13:13 - hidden

- Status changed from Customer Feedback Required to In Progress

#13 - 2023-02-07 11:01 - hidden

Hi Robin,

we are still investigating your problem. You will get asap an answer.

Best regards,

Margarete

#18 - 2023-02-13 14:27 - hidden

- Resolution changed from Known Feature Request to Product Issue Opened

*- Product Issue Numbers changed from <https://www.cip.audi.de/jira/browse/ACORE-11853> to <https://www.cip.audi.de/jira/browse/ACORE-11853>,
<https://www.cip.audi.de/jira/browse/ACORE-11869>*

Hello Robin,

we have completed the investigation. Thanks for for your information, we had or created product tickets for them and will implemented it on our product.

Do you need any further support? Otherwise we will close the ticket.

Best regards,

Margarete

#19 - 2023-02-13 14:27 - hidden

- Status changed from In Progress to Customer Feedback Required

#20 - 2023-02-14 06:45 - hidden

Alright. No further support needed. Thanks!

BR

Robin

#21 - 2023-02-14 07:48 - hidden

- Description updated
- Status changed from Customer Feedback Required to To Be Closed

#22 - 2023-04-03 07:38 - hidden

- Project changed from 30 to Public Support
- Status changed from To Be Closed to Closed
- Private changed from Yes to No

Files

hello_world.zip	105 KB	2023-01-25	hidden
-----------------	--------	------------	--------